CLADCO
WALL CLADDING



ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk



ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk



OVERVIEW
CLADCO WALL CLADDING

Cladding boards can transform the exterior of any home or outbuilding. At Cladco, we offer a range of external and internal cladding solutions to suit your project requirements — including Signature composite, ProClad capped composite, fibre cement lap and click, and slatted wall cladding.

Compare Our Ranges

	FIBRE CEMENT		CORE PRODUCT				LUXURY
	Feather Lap	Interlocking Click	Traditional	Best Value	Most Popular	Modern	Luxury Range
							
Product	**Fibre Cement Lap Wall Cladding**	**Fibre Cement Click Wall Cladding**	**Signature Composite Wall Cladding**	**Signature Woodgrain Composite**	**ProClad Cladding**	**Composite Slatted Wall Cladding**	**Millboard® Wall Cladding**
Material	Fibre Cement	Fibre Cement	Composite	Composite	**Capped Composite**	Capped Composite	Polymer Resin And Natural Minerals
Length & Size	3.6m 210mm x 8mm	3.6m 210mm x 12mm	3.6m 157mm x 21mm	3.6m 157mm x 21mm	**3.6m 157mm x 21mm**	2.5m 220mm x 26mm	3.6m 200 x 18mm
Finish / Style	Woodgrain Effect	Smooth or Woodgrain Effect	Smooth	Woodgrain Effect	**Woodgrain Effect**	Textured Grain	Premium Woodgrain Effect
Colour Retention	★★★★☆	★★★★☆	★★★☆☆	★★★☆☆	★★★★☆	★★★★☆	★★★★★
Maintenance Required	★★★★☆	★★★★☆	★★★½☆	★★★½☆	★★★★☆	★★★★☆	★★★★★
Value For Money	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★☆	★★★★☆
Installation	Horizontal	Horizontal or Vertical	Horizontal or Vertical	Horizontal or Vertical	**Horizontal or Vertical**	Horizontal or Vertical	Horizontal or Vertical
ERA customer works guarantee: 10 years across this collection							
FSC®	✓	✓	✓	✓	✓	N/A	N/A
Fire Rating	B	A1	No Rating	No Rating	**E**	No Rating	D
Review/Grade	★★★★★ *'Neat finish and incredibly durable.'*	★★★★★ *'Clever design and really straight forward to fit.'*	★★★☆☆ *'Nice and simple, transformed the look of the house.'*	★★★☆☆ *'Really easy to install, lovely woodgrain look.'*	★★★★★ ***'Premium product at a great price.'***	★★★☆☆ *'Gives a modern finish instantly.'*	★★★★★ *'Exceptional quality!!'*

ERA HOME IMPROVEMENTS × CLADCO PROFILES

10 YEAR ERA GUARANTEE

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

01905 317062 | erahomeimprovements.co.uk


hello@erahomeimprovements.co.uk

How To Measure Cladding

Accurately measuring your walls is key to working out how much cladding you'll need for your project. Measure each wall individually, including around doors, windows, and gable ends on pitched roofs. All Cladco cladding boards come in fixed lengths, so knowing your wall dimensions in advance helps minimise waste and plan your layout efficiently.


Our cladding board sizes vary from range to range. Signature and ProClad composite boards measure 3.6m long × 157mm wide (135mm when lapped) and have a coverage of 0.45m². Composite slatted cladding comes in 2.5m lengths, with a width of 220mm (200mm when lapped) and provides 0.5m² coverage. Fibre cement lap and click boards measure 3.66m × 210mm, offering 0.71m² coverage.

Gable End




A x B / 2 = TOTAL m²

Half Standard Wall Area




A x B = TOTAL m²

Whole Gable End Area



A x B / 2 = AREA 1
C x D = AREA 2
AREA 1 + AREA 2 = TOTAL m²

Whole House



A x B / 2 = AREA 1
C x D = AREA 2
G x H = AREA 3
AREA 1 + AREA 2 + AREA 3 = TOTAL m²

*__Please Note:__ Windows and doors should be deducted from the total measurement. Cladco cladding is designed to be installed as a ventilated rainscreen cladding system. This means it provides a durable, weather-resistant façade but is not intended to act as a fully waterproof barrier. Always ensure a suitable weatherproof membrane is installed behind the cladding for full protection.

Explore your options
with ERA

01905 317062



SIGNATURE COMPOSITE WALL CLADDING RANGE

Cladco Signature composite wall cladding combines modern performance with timeless appeal.

Available in smooth or woodgrain-effect designs, these 3.6m boards offer design flexibility, minimal maintenance, and a clean, professional finish for exterior walls in both contemporary and traditional settings.

- Authentic Woodgrain Effect
- Cost-Effective
- Environmentally Friendly
- Minimal Maintenance
- Use M4x40mm fixings
- Installation Horizontally Or Vertically


AVAILABLE COLOURS

IVORY	STONE GREY	OLIVE GREEN
TEAK	COFFEE	CHARCOAL

ACCESSORIES


A range of trims and accessories are available to support a successful Signature cladding installation. See page 64-65.






SIGNATURE COMPOSITE WALL CLADDING

Length: 3.6m
Board Size: 157mm x 21mm
Weight: 6.95kg approx
Coverage: 135mm / 0.45m²
SKU: WPCW



SIGNATURE WOODGRAIN COMPOSITE WALL CLADDING

Length: 3.6m
Board Size: 157mm x 21mm
Weight: 6.95kg approx
Coverage: 135mm / 0.45m²
SKU: WPCWW





"Couldn't believe it wasn't wood. Looks amazing and built to last."

SOPHIE - CLADCO CUSTOMER

PROCLAD WALL CLADDING RANGE

Cladco ProClad boards feature a durable, polymer-capped surface with an authentic woodgrain effect finish.

Made from recycled plastic and natural wood fibres, they offer superior resistance to fading, stains and weathering, ideal for stylish, low-maintenance cladding installations across residential and commercial projects.

- Advanced Capped Technology
- Low Maintenance
- Eco-Friendly Composition
- Exceptional UV & Fade Resistance
- Use M4x40mm fixings
- Installation Horizontally Or Vertically

AVAILABLE COLOURS

QUARTZ | ROSEWOOD | SANDSTONE | BURNT OAK

ONYX | PEWTER | PLATINUM

ACCESSORIES

A range of accessories, including corner trims, are available to support a successful ProClad cladding installation. See page 64-65.

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk






PROCLAD WOODGRAIN COMPOSITE WALL CLADDING

Length: 3.6m
Board Size: 157mm x 21mm
Weight: 6.15kg approx
Coverage: 135mm / 0.45m²
SKU: WPCWE

WHY PROCLAD?

Cladco ProClad is the next step up from both timber and standard composite cladding. Its polymer-capped shell offers superior resistance to fading, stains, and scratches, keeping boards looking newer for longer.

- **Better than timber** – No painting, sealing, or risk of rot.
- **Better than Signature** – Capped technology adds extra durability and colour stability.
- **Stylish, low-maintenance, and long-lasting** – ProClad is built to perform.





COMPOSITE SLATTED WALL CLADDING

Featuring a modern four-slat design in lightweight, capped composite, our slatted wall cladding panels showcase a timber-look finish, four natural tones and simple tongue-and-groove installation.

They offer a stylish solution for domestic or commercial exterior walls and require minimal maintenance.

- Timber Look, Composite Performance
- Wide Coverage, Sleek Finish
- Lightweight Yet Strong
- Exceptional UV & Fade Resistance
- Comprehensive System
- Versatile Design Options

AVAILABLE COLOURS

- CHARCOAL
- STONE GREY
- TEAK
- WALNUT

ACCESSORIES

For our range of slatted wall cladding accessories, including start profiles and corner trims, see page 66.

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk






COMPOSITE SLATTED WALL CLADDING PANELS

Length: 2.5m
Board Size: 220mm x 26mm
Weight: 7.58kg approx
Coverage: 200mm / 0.5m²
SKU: WPCSLAT

Explore your options with ERA

01905 317062







FIBRE CEMENT WALL CLADDING

Cladco fibre cement wall cladding is available in two durable, low-maintenance styles: traditional lap boards or contemporary interlocking click cladding.

With smooth or woodgrain finishes and a wide range of colours to choose from, both ranges combine modern performance with a timeless look for residential or commercial exterior walls.

- Enhanced Fire Resistance
- Pre-Finished Or Ready-to-Paint Options
- Naturally Resistant To The Elements
- Minimal Upkeep
- Comprehensive System
- Versatile Design Options

AVAILABLE COLOURS

CREAM | BLACK | GRANITE | BLUE | WHITE

LIGHT GREY | SAGE GREEN | SLATE | UNPAINTED

ACCESSORIES

For our full range of fibre cement lap and click cladding accessories, take a look at page 67.

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE


01905 317062 | erahomeimprovements.co.uk
hello@erahomeimprovements.co.uk



WHAT'S THE DIFFERENCE BETWEEN LAP AND CLICK?


Lap cladding overlaps each board for a classic, traditional look, while click cladding uses a tongue-and-groove system to create a smooth, modern finish. Both are durable, low-maintenance and weather-resistant.






FIBRE CEMENT LAP CLADDING BOARDS


Length: 3.66m
Board Size: 210mm x 8mm
Finishes: Woodgrain
Installation: Horizonal shiplap
Fire Rating: B **Weight:** 11kg approx
Coverage: 180mm (30mm lap) / 0.65m²,
SKU: FCLW



FIBRE CEMENT CLICK CLADDING BOARDS

Length: 3.66m
Board Size: 210mm x 12mm
Finishes: Smooth & woodgrain
Installation: Horizonal or vertical
Fire Rating: A1 **Weight:** 13.11kg approx
Coverage: 195mm / 0.71m²
SKU: FCCS - Smooth FCCW - Woodgrain





Millboard products

Supplied through ERA Home Improvements

MILLBOARD®
ENVELLO SHADOW LINE+ CLADDING

Millboard® Envello Shadow Line+ cladding blends timber's natural charm with modern durability.

Moulded from oak for a realistic woodgrain finish, it's resistant to moisture, rot, and fading, offering a premium, low-maintenance solution for contemporary or traditional low-rise applications.

- Fire-Rated To Euroclass D
- Various Natural Wood Tones
- Durable & Long Lasting
- Low Maintenance
- Comprehensive System
- Versatile Design Options

AVAILABLE COLOURS

BURNT CEDAR	LIMED OAK	SMOKED OAK	SAGE GREEN	SALT BLUE	EBONY GREY
ANTIQUE OAK	ANTH-RACITE	COPPERED OAK	GOLDEN OAK	ASHWOOD	

ACCESSORIES

For the full range of Millboard® accessories and trims, turn to page 70 & 71.

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk






MILLBOARD® ENVELLO SHADOW LINE+ CLADDING BOARD

Length: 3.6m
Board Size: 200mm x 18mm
Weight: 8.3kg approx
Coverage: 0.72m²
SKU: MILCS36

Explore your options with ERA

01905 317062







Millboard products

Supplied through ERA Home Improvements

MILLBOARD®
ENVELLO BOARD & BATTEN+ CLADDING

Bring a touch of natural character to your exterior walls with Millboard® Board & Batten+ cladding.

Moulded from real oak, it creates an authentic timber look with alternating widths, advanced durability, UV resistance and a clean finish using discreet tongue-and-groove installation.

- Fire-Rated To Euroclass D
- Various Natural Wood Tones
- Durable & Long Lasting
- Low Maintenance
- Comprehensive System
- Versatile Design Options

AVAILABLE COLOURS

BURNT CEDAR	LIMED OAK	SMOKED OAK	ASHWOOD	EBONY GREY
ANTIQUE OAK	ANTH-RACITE	COPPERED OAK	GOLDEN OAK	JARRAH

ACCESSORIES

For the full range of Millboard® accessories and trims, turn to page 70 & 71.

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk

hello@erahomeimprovements.co.uk







MILLBOARD® ENVELLO SHADOW LINE+ CLADDING BOARD

Length: 3.6m
Board Size: 200mm x 26mm
Weight: 7.8kg approx
Coverage: 0.72m²
SKU: MILCB36

Explore your options with ERA

01905 317062







CLADDING
FIXINGS AND ACCESSORIES

CLADDING BATTENS



GREEN-TREATED TIMBER BATTEN

Length: 4.8m
Size: 50mm x 25mm
Weight: 2.5kg approx
SKU: TIM502542


For Use With
All Cladding



COMPOSITE JOIST/BATTEN

Length: 4m
Size: 50mm x 30mm
Colour: Black
Weight: 5.16kg approx
SKU: WPCJC22


For Use With
Signature, ProClad & Fibre Cement



3M NON-COMBUSTIBLE METAL BATTEN

Length: 3m
Width: 50mm & 100mm
Height: 38mm
SKU: MCB1538-CP

For Use With
All Cladding



3M NON-COMBUSTIBLE METAL BATTEN

Length: 3m
Width: 50mm & 100mm
Height: 50mm
SKU: MCB1550-CP

For Use With
All Cladding



PLAS-PRO RECYCLED PLASTIC BATTEN

Length: 2.4m
Size: 50mm x 50mm
Weight: 4.8kg approx
SKU: PLAS505024BL

For Use With
Signature, ProClad & Fibre Cement



M4 X 40MM STAINLESS STEEL WOOD SCREWS

Length: 40mm
Thickness: 4mm
Material: Stainless steel
Pack Quantity: 100
SKU: FIXWPC40

For Use With
Signature & ProClad



45MM SELF DRILLING MASONRY SCREWS

Length: 45mm
Washer Material: Carbon
Pack Quantity: 100
SKU: IXMF45-G19

For Use With
Non-Combustible Batten into walls

Explore your options with ERA

01905 317062

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk
hello@erahomeimprovements.co.uk


CLADDING TRIMS AND ACCESSORIES



ROOFTX® MAXI VAPOUR PERMEABLE & AIR BARRIER UNDERLAY BY DON & LOW

Thickness: 170gsm
Width: 1m **Length:** 50m
Colour: Black (top) / Grey (bottom)
SKU: ROOFMEMBRANE


For Use With All Cladding



STARTER STRIP

Length: 3m
Height: 50mm
Depth: 10mm
Material: Galvanised steel
Weight: 1.32kg approx
SKU: WPCWSTRIP

For Use With Signature & ProClad



ALUMINIUM PERFORATED CLOSURE

Length: 3m
Width: 40mm
Height: 30mm
Thickness: 1mm
Material: Aluminium
Weight: 0.5kg approx
SKU: FCCLOSURETRIM

For Use With All Cladding



SIGNATURE COMPOSITE CORNER TRIM

Length: 2.2m
Size: 60mm x 50mm
Thickness: 6mm
Colours: 6
Material: Composite
Weight: 2.1kg approx
SKU: WPCC

For Use With Signature Cladding



SIGNATURE COMPOSITE SKIRTING TRIM

Length: 2.2m
Size: 55mm x 10mm
Colours: 4
Material: Composite
Weight: 1.4kg approx
SKU: WPCTC

For Use With Signature Cladding



SIGNATURE COMPOSITE FASCIA BOARD

Length: 2.4m
Size: 146mm x 10mm
Finish: Woodgrain & narrow grooves surface **Colours:** 6
Weight: 4kg approx
SKU: WPCFT

For Use With Signature Cladding



PRORANGE COMPOSITE CORNER TRIM

Length: 2.2m
Size: 46mm x 46mm
Colours: 7
Material: Composite
Weight: 1.76kg approx
SKU: WPCEC

For Use With ProClad



PRORANGE COMPOSITE FASCIA TRIM


Length: 3.6m
Size: 148mm x 9mm
Colours: 7
Weight: 6.48kg approx
SKU: WPCEFT

For Use With ProClad



Explore your options with ERA

01905 317062



SLATTED WALL PANELS
FIXINGS AND ACCESSORIES



COMPOSITE SLATTED CORNER TRIM

Length: 2.5m
Width: 43mm x 43mm
Thickness: 7mm
Finish: Smooth
Colours: 4
Weight: 1.75kg approx
SKU: WPCSLATC

For Use With
Composite Slatted



COMPOSITE SLATTED SINGLE START PROFILE

Length: 2.5m
Width (incl. lip): 49mm
Thickness: 26mm
Finish: Textured grain
Colours: 4
Weight: 1.5kg approx
SKU: WPCSLATSTART

For Use With
Composite Slatted



COMPOSITE SLATTED INTERNAL CORNER PROFILE

Length: 2.5m
Width (incl. lip):
39mm x 95mm
Thickness: 26mm
Finish: Smooth
Colours: 4
Weight: 3kg approx
SKU: WPCSLATIC

For Use With
Composite Slatted



COMPOSITE SLATTED EXTERNAL CORNER TRIM

Length: 2.5m
Width (incl. lip): 49mm
Thickness: 26mm
Finish: Smooth
Colours: 4
Weight: 3kg approx
SKU: WPCSLATEC

For Use With
Composite Slatted



COMPOSITE SLATTED DOUBLE END PROFILE TRIM

Length: 2.5m
Width (incl. lip): 105mm
Thickness: 26mm
Finish: Textured grain
Colours: 4
Weight: 3kg approx
SKU: WPCSLATEND

For Use With
Composite Slatted

Explore your options with ERA

01905 317062

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk
hello@erahomeimprovements.co.uk

FIBRE CEMENT FIXINGS AND ACCESSORIES



ROOFTX® MAXI VAPOUR PERMEABLE & AIR BARRIER UNDERLAY BY DON & LOW

Thickness: 170gsm
Width: 1m **Length:** 50m
Colour: Black (top) / Grey (bottom)
SKU: ROOFMEMBRANE

For Use With
All Cladding



PLAS-PRO RECYCLED PLASTIC BATTEN

Length: 2.4m
Size: 50mm x 50mm
Colour: Black
Material: 100% recycled plastic
Weight: 4.8kg approx
SKU: PLAS505024BL

For Use With
Signature, ProClad & Fibre Cement



38MM STAINLESS STEEL SCREW + BIT

Length: 39mm
Material: Stainless steel
Colours: 8
Pack Quantity: 100 plus drill bit
SKU: FIXFC38


For Use With
Fibre Cement Lap



FIXINGS KIT

Screw Width: 3mm
Screw Length: 40mm
Material: Stainless Steel
SKU: FIXFCC


For Use With
Fibre Cement Click



ALUMINIUM FIBRE CEMENT FLAT SHEET

Length: 3m
Thickness: 1mm
Width: 1250mm
Colours: 8
Weight: 11kg
SKU: CC--CP


For Use With
All Fibre Cement



ALUMINIUM PERFORATED CLOSURE

Length: 3m
Width: 40mm
Height: 30mm
Material: Aluminium
Weight: 0.5kg approx
SKU: FCCLOSURETRIM

For Use With
All Cladding



DOUBLE BOARD CONNECTION PROFILE

Measurements: 48mm x 18mm x 20mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMDB

For Use With
Fibre Cement Lap



WALL END PROFILE TRIM

Measurements: 64mm x 26mm x 27mm x 30mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMWE


For Use With
Fibre Cement Lap



START PROFILE TRIM

Measurements: 30mm x 10mm x 30mm x 7mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMSP


For Use With
Fibre Cement Lap



SINGLE BOARD CONNECTION PROFILE

Measurements: 45mm x 10mm x 8mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMSB

For Use With
Fibre Cement Lap



SYMMETRIC EXTERNAL CORNER TRIM

Measurements: 34mm x 26mm x 31mm x 31mm x 26mm x 34mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMEC


For Use With
Fibre Cement Lap



INTERNAL CORNER PROFILE TRIM

Measurements: 35mm x 25mm x 25mm x 35mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMIC


For Use With
Fibre Cement Lap



ASYMMETRIC EXTERNAL CORNER

Measurements: 34mm x 13mm x 31mm x 31mm x 26mm x 34mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMAC

For Use With
Fibre Cement Lap



EXTERNAL CORNER TRIM

Measurements: 35mm x 15mm x 24mm x 24mm x 15mm x 35mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: CTRIMCEC

For Use With
Fibre Cement Click



HORIZONTAL START TRIM

Measurements: 50mm x 7mm x 9mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMCHS


For Use With
Fibre Cement Click



INTERNAL CORNER TRIM

Measurements: 30mm x 17mm x 17mm x 30mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMCIC

For Use With
Fibre Cement Click



LINTEL TRIM

Measurements: 60mm x 18mm x 25mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMCCL

For Use With
Fibre Cement Click



VERTICAL START TRIM

Measurements: 30mm x 22mm x 4mm x 15mm
Length: 3m
Thickness: 1mm
Colours: 8
Weight: 1.53kg
SKU: FCTRIMCVS

For Use With
Fibre Cement Click

CLADDING
OTHER FIXINGS & ACCESSORIES





MEASURING TAPE

Width: 2.5cm
Length: 8m or 26ft
Weight: 500g approx.
Colour: Black/Yellow
Accuracy: Class II
SKU: TAPEMEAS



SAFETY GLOVES LEVEL 5 - PROTECTIVE

Liner Material: Nylon, cut-resistant fibre, Spandex
Palm/fingertip Material: Polyurethane
Sizes: M (8), L (9) and XL (10)
Standards: Compliant with EN388 Cat II regulations
SKU: GL



CLADCO UNIVERSAL SEALANT GUN 310ML

Size: Up to 310ml
Colour: Blue
Material: Pressed steel
Weight: 1kg
SKU: MAST-GUN



SOUDAFOAM GAP FILLER

Size: 750ml
Application temperature: 5˚C to 30˚C
Material: Self-expanding polyurethane foam
SKU: GUN FOAM



CLADCO HIGH STRENGTH ADHESIVE

Size: 290ml
Colour: White
Storage Temperature: 5˚C to 25˚C
Full Cure Time (at 23˚C): 12-48 hours at 3-6mm thick
SKU: MPSWH



CT1 ADHESIVE AND SEALANT

Size: 290ml
Colours: 9
Application Temperature: 5˚C to 40˚C
Full Cure Time (at 23˚C): 12 hours at 2-3mm thick
SKU: CT1



MILLBOARD® CLADDING
FIXINGS AND ACCESSORIES



ENVELLO PERFORATED CLOSURE TRIM

Length: 3m
Measurements: 25mm x 50mm
Material: Aluminium
Weight: 500g
SKU: MILCTPC

For Use With
Envello Shadow Line+ and Board & Batten+



ENVELLO HORIZONTAL STARTER TRIM

Length: 2.5m
Measurements: 25mm x 10mm
Material: Aluminium
Weight: 400g
SKU: MILCTHS

For Use With
Envello Shadow Line+ and Board & Batten+



ENVELLO VERTICAL STARTER TRIM

Measurements: 25mm x 13mm
Length: 2.5m
Material: Aluminium
Weight: 400g
SKU: MILCTVS

For Use With
Envello Shadow Line+ and Board & Batten+



ENVELLO SQUARE CORNER TRIM

Length: 3.05m
Measurements: 50mm x 50mm
Colours: 7
Weight: 9.1kg
SKU: MILCTSC

For Use With
Board & Batten+

> "So glad I went for this cladding, looks authentic but adds a modern touch to our home which is just what we wanted. Staff were very knowledgeable and couldn't be more helpful"
>
> *ALEX - CLADCO CUSTOMER*

ERA HOME IMPROVEMENTS × CLADCO PROFILES

SUPPLIED & INSTALLED BY ERA HOME IMPROVEMENTS

10 YEAR ERA GUARANTEE

01905 317062 | erahomeimprovements.co.uk
hello@erahomeimprovements.co.uk



ENVELLO REVEAL BOARD

Length: 3.6m
Measurements: 146mm x 16mm
Colours: 12
Weight: 6.4kg
SKU: MILCR-CP-36

For Use With
Envello Shadow Line+ and Board & Batten+



ENVELLO EXTERNAL CORNER PROFILE

Length: 3.05m
Measurements: 50mm x 50mm
Colour: 11 Colours
Weight: 7.1kg
SKU: MILCTE

For Use With
Envello Shadow Line+



MILLBOARD® TOUCH UP COATING

Size: 500ml
Weight: 1kg approx
SKU: MILP

For Use With
All Our Millboard® Decking and Cladding



MILLBOARD® STAINLESS STEEL SCREWS

Length: 20mm & 30mm
Thickness: 3.5mm
Material: Stainless steel
Pack Quantity: 250
SKU: FIXMILCSS

For Use With
Envello Shadow Line+ and Board & Batten+



ENVELLO COLOURED HEAD 40MM SCREW

Length: 40mm
Thickness: 3.5mm
Material: Stainless steel
Pack Quantity: 100
SKU: FIXMILC40

For Use With
Envello Shadow Line+ and Board & Batten+



Explore your options with ERA

01905 317062



MILLBOARD SAMPLE PACK

Colours In Box: 3
SKU: Shadow Line+ - MILSAMPLEC-BUN,

Board & Batten+ - MILSAMPLECB-BUN



Explore your options with ERA

01905 317062